



## Technical Data / Chemical Analysis GHP LIQUID H - LIQUIFIED CARBON (pH =10)

PARAMETER	VALUE	UNIT
Ag	< 1	ppm
Al	0.01	%
As	< 1	ppm
B	11	ppm
Ba	7	ppm
Ca	0.12	%
Cd	< 1	ppm
Co	< 1	ppm
Cr	< 1	ppm
Cu	< 1	ppm
Fe	21	ppm
Hg	< 0.01	ppm
K	1.17	%
Mg	0.01	%
Mn	8	ppm
Mo	< 1	ppm
Na	0.02	%
Ni	< 1	ppm
P	< 0.01	%
Pb	< 1	ppm
S	343	ppm
Sb	< 1	ppm
Se	< 1	ppm
Si	0.02	%
Sn	< 1	ppm
Sr	11	ppm
Th	< 1	ppm
Ti	< 1	ppm
U	< 1	ppm
V	< 1	ppm
Zn	< 1	ppm
Total	1.34	%

### GHP LIQUID H - LIQUIFIED CARBON (pH =10)

**GHP LIQUID H - LIQUIFIED CARBON** is a liquid product derived from natural material rich in soil organic matters and humic substances. This product can be applied to soil or plants. Soil organic matters and humic substances have been proven to improve the quality of soil, growth of soil organisms and uptakes of nutrients by plants.

PARAMETER	VALUE	UNIT
Moisture	90.4	%
Humic Acids	12.0 <sup>1)</sup> 7 <sup>2)</sup>	% %
Specific Gravity	1,050 65	kg/m <sup>3</sup> lb/ft <sup>3</sup>
pH	10.0 - 10.5	-
Color	Black	-

- 1) As-received analysis - A&L Colorimetric Method.
- 2) Dry matter analysis – ISO 19822:2018 Method

**MIX WELL PRIOR TO USE**

